

W-08-23-0883



: HCTAYZ-50-22  
\_\_\_\_\_  
:  
7/8  
\_\_\_\_\_  
:  
\_\_\_\_\_  
:  
\_\_\_\_\_





7/8

105

105

50

HCTAYZ-50-22

7/8

HCTAYZ-50-22 7/8

2022 1 1 -2022 12 31

1467 kg CO<sub>2</sub>-eq

ISO 14040: 2006



W-08-23-0883



4.

4.1

100~5800MHz

4.2

HCTAYZ-50-22 7/8

YD/T 1092-2013

4.3





	HDPE		47.25	kg
	LDPE		14.8	kg
			0.95	kg
	JF-G103		0.84	kg
	T2		100	kg
	B		125	kg
			80	kg/km
			18	kg/km

2

		70%30T+30%10T	922	km
		30T	73	

3

	54.68357771	kwh	0.719529101	m <sup>3</sup>

4

		/km			/T
		323523		30%5T+30%10T+20%30T	0.48

5.2

\*

bom

bom

\*

\*

\*

\*

5.3



Ecoinvent 3

IPCC 2006

2019

( )

2

2022 10

2022

5.3

5 Ecoinvent 3-allocation at point of substitution- unit

Polyvinylchloride, bulk polymerised {GLO}  market for   APOS, U
Polyethylene, low density, granulate {GLO}  market for   APOS, U
Copper-rich materials {GLO}  market for copper-rich materials   APOS, U
Electricity, medium voltage {CN}  market group for   APOS, U
Tap water {GLO}  market group for   APOS, U

6.

6.1

1%  
 0.05%  
 5%

6.1.1

cut-of

0.05%

6.1.2

2022 1 1 2022 12 31

6.2



0.5%

6.2.1

cut-of

6.2.2

6.3

2019

GWP100


IPCC

7





7.1



1

2

7.2


7.2.1



cut-of

7.2.2

IPCC 2021 GWP100 V1.01



3

-

GWP100

1469 kg CO <sub>2</sub> -eq	43.4	1467 kg CO <sub>2</sub> -eq	95%
		2.96%	

7.3



